



# GAUHATI UNIVERSITY

Gopinath Bardoloi Nagar,

Guwahati - 781014

www.gauhati.ac.in

NIQ No.: GU/Regr(SF)/T/2027/400

Date: 17/10/2017

## Notice Inviting Quotation

Sealed quotations are invited from intending suppliers/manufacturers/authorized dealers/service providers for supply, installation, commissioning of Desktop Computers/ Storage Server/Printers/UPS etc. with other accessories required to be procured for Gauhati University.

The following general terms and conditions, in brief, will be applicable:

1. Two Bid Procedure: The quotation must be in a two-bid system. All technical documents along with the supporting documents in conformity with the terms and conditions are to be placed in a sealed envelope to be marked as "Technical Bid". Price quotations for various components clearly indicating the amount quoted, various tax components etc. must be in the second envelope to be marked as "Price Quotation". Both the envelopes are to be put in a single envelope and to be sealed and submitted to the Registrar, Gauhati University.
2. No separate tender paper will be issued from the office; one should only download the specifications/List from the website.
3. At least one similar work completion with successful implementation and completion certificate from the customer must be produced, the value of which should not be below 60% of the current quoted value. Firms not fulfilling this condition shall not be considered.
4. The rates should be quoted in Indian Rupee. The basic rates should be exclusive of GST and rate of applicable GST in % should be clearly indicated.
5. Charges for clearing and transportation should be incurred by the supplier.
6. Applicable levies, surcharge and discounts should be clearly indicated item-wise.
7. Quoted rates should be valid at least for a period of one year.
8. The rates should be quoted along with supporting documents of specifications and technical features.
9. The system must be installed at the places in Gauhati University, and after installation a basic training must also be provided by the supplier or their Indian counterpart without any additional cost.
10. Warranty/Guarantee period should be specifically mentioned in the quotation against each item.
11. Details of availability of after sales support will have to be furnished. After sales support, directly from manufacturer and from Assam (Guwahati) will be preferred.
12. Demonstration may be sought from the vendors for authentication of quoted specification
13. **The last date of submission of quotation is 08/11/2017 at 03.00PM.** The quotations will be opened on the same day at 03.30PM. Representatives of the participating companies may attend the quotation opening meeting to be held in the office of the Registrar, Gauhati University.

14. Rates must be quoted item wise. PAN/GSTN wherever applicable, must be mentioned.
15. A non refundable processing fee of **Rs. 3000/- (Three Thousand)** only in the form of a DD/banker's cheques drawn in favour of Registrar, Gauhati University, payable at SBI, Gauhati University Branch should be submitted. All communications must be addressed to the Registrar, Gauhati University, Guwahati 781014, Assam, India.
16. AMC policy including rate and other terms and conditions is required to be clearly stated along with the proposal for maintenance after the expiry of Warranty period. This may be weighed as a total package value of the contract at the discretion of the Gauhati University.
17. Quotations should be accompanied by an EMD (refundable) of Rs. **20,000/-** (Rupees Twenty Thousand) only in the form of a DD/banker's cheques drawn in favor of Registrar, Gauhati University, payable at SBI, Gauhati University Branch. The tender shall be summarily rejected in the absence of EMD. No interest on the Earnest Money shall be paid.
18. The selected Bidders shall have to pay Performance Security Deposit @ 10% of the bid value only, in the form of FDR/ irrevocable bank guarantee from any nationalized bank in favour of the Registrar, Gauhati University at the time of Signing of the Agreement. The validity of the bank guarantee should cover ninety days beyond the contractual period of maintenance for lodgment of claims. No interest will be paid on such amount.
19. Lowest rate may or may not be the selection criteria for award of the contract. However, the negotiations if necessary, to be made by Gauhati University with the L1 bidder (s) may be held.
20. Manufacturer's Authorisation Form from OEM must be submitted.
21. Unit buy back rate must be quoted for obsolete computers (Approximately 500 numbers).
22. All other terms and conditions will be as per the Gauhati University rules and regulations.
23. Gauhati University reserves the right of modifications, cancellations and decisions in regard to the entire process.



Registrar  
Gauhati University

**List of Items with Specifications:**

1.	<p align="center"><b>Commercial Desktop PC Micro Tower (Make: HP/Dell/Lenovo)</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• <b>Processor:</b> Intel® 7<sup>th</sup> Generation Core™ i3 3.0 GHz or above with Intel HD Graphics 630 (with Intel Turbo Boost, 3MB cache, 2cores)</li> <li>• <b>Chipset:</b> Q Series or higher</li> <li>• <b>Motherboard:</b> OEM Motherboard with OEM logo embossed on the motherboard (No sticker allowed)</li> <li>• <b>RAM:</b> 4GB DDR4 2400 MHz expandable up to minimum 32 GB DDR4 with 2 DIMM Slots or more.</li> <li>• <b>Storage:</b> 1 TB SATA Hard drive(7200RPM)</li> <li>• <b>Operating system:</b> Genuine install Microsoft Windows 10 professional 64-bit</li> <li>• <b>Optical Drive:</b> Slim DVD-Writer</li> <li>• <b>Graphics:</b> Intel HD integrated Graphic</li> <li>• <b>Networking:</b> Integrated Intel PRO 10/100/1000 Networking Connection wireless antennae</li> <li>• <b>Audio:</b> Internal speaker, headset and headphone front ports (3.5 mm), multi-streaming Capable.</li> <li>• <b>Ports &amp; Connectors:</b> Front I/O: 4 USB Ports (at least minimum 2 nos. of 3.1 USB), Audio port Back I/O: 4 USB , 1VGA, Audio port + speaker with CPU,</li> <li>• <b>Keyboard &amp; Mouse:</b> Wired and USB Key board &amp; optical mouse (Same Make and color as Desktop)</li> <li>• <b>Monitor:</b> 19.5 inch or larger LED Digital Colour Monitor TCO-06 or higher certified anti-glare non touch LCD backlight LED, HD Resolution (Same Make and color as Desktop).</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> <li>• <b>Certifications:</b> PEAT Gold, Energy STAR, RoHS, UL Listed, CE, FCC with documentary evidences.</li> <li>• OEM of desktop should have ISO 9001 AND 14001 FOR INDIA operations.</li> </ul>
2.	<p align="center"><b>Commercial Desktop PC Micro Tower (Make: HP/Dell/Lenovo)</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• <b>Processor:</b> Intel® 7<sup>th</sup> Generation Core™ i5 3.0 GHz or above with Intel HD Graphics 630 (with Intel Turbo Boost, 6 MB cache, 4 cores)</li> <li>• <b>Chipset:</b> Q Series or higher</li> <li>• <b>Motherboard:</b> OEM Motherboard with OEM logo embossed on the motherboard (No sticker allowed)</li> <li>• <b>RAM:</b> 4GB DDR4 2400 MHz expandable up to minimum 32 GB DDR4 with 2 DIMM Slots or more.</li> <li>• <b>Operating system:</b> Genuine install Microsoft Windows 10 64-bit</li> <li>• <b>Hard Disk Drive:</b> 1 TB SATA Hard drive (7200RPM)</li> <li>• <b>Optical Drive:</b> Slim DVD-Writer</li> <li>• <b>Graphics:</b> Intel HD integrated Graphic</li> <li>• <b>Networking:</b> Integrated Intel PRO 10/100/1000 Networking Connection</li> <li>• <b>Audio:</b> Internal speaker, headset and headphone front ports (3.5 mm), multi-streaming Capable.</li> <li>• <b>Ports &amp; Connectors:</b> Front I/O: 4 USB Ports (at least minimum 2 nos. of 3.1 USB), Audio port Back I/O: 4 USB , VGA, 1 Display port, Audio port + speaker with CPU, HDMI port</li> <li>• <b>Keyboard &amp; Mouse:</b> Wired and USB Key board &amp; optical mouse (Same Make and color as Desktop)</li> <li>• <b>Monitor:</b> 19.5 inch or larger LED Digital Colour Monitor TCO-06 or higher certified anti-glare non touch LCD backlight LED; HD Resolution (Same Make and color as Desktop).</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> <li>• <b>Certifications:</b> PEAT Gold, Energy STAR, RoHS, UL Listed, CE, FCC with documentary evidences.</li> <li>• OEM of desktop should have ISO 9001 AND 14001 FOR INDIA operations.</li> </ul>
3.	<p align="center"><b>Commercial Desktop PC Micro Tower (Make: HP/Dell/Lenovo)</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• <b>Processor:</b> Intel® 7<sup>th</sup> Generation Core i5 @3.4 Ghz or above/6 MB cache/4 Cores</li> <li>• <b>Chipset::</b> Q Series or higher</li> <li>• <b>Motherboard:</b> With OEM LOGO (no sticker allowed)</li> <li>• <b>RAM:</b> 8 GB DDR4 2400 MHz upgradable to 64 GB on 4 DIMM Slots.</li> <li>• 1 TB HDD 7200rpm</li> <li>• <b>Operating System :</b> WIN 10 Pro 64bit with media</li> <li>• <b>Optical Drive :</b> 8X DVD RW</li> </ul>

	<ul style="list-style-type: none"> <li>• <b>Ports &amp; Connectors:</b></li> <li>• Minimum 08 nos. should be USB 3.1,1 HDMI; 1 VGA, 1 headset connector, 1 audio in; 1 serial; 1 RJ-45; 1 audio out; 2 Display Port</li> <li>• <b>Keyboard &amp; Mouse:</b> Wired and USB Key board &amp; optical mouse (Same Make and color as Desktop)</li> <li>• <b>Monitor:</b> 19.5 inch TCO'07 certified monitor (Same Make and color as Desktop); HD Resolution.</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> <li>• ENERGY STAR and EPEAT CERTIFIED FOR BOTH DESKTOP AND MONITOR is mandatory</li> <li>• OEM of desktop should have ISO 9001 AND 14001 FOR INDIA operations.</li> <li>• 2GB Compatible Graphics Card</li> </ul>
4.	<p style="text-align: center;"><b>M.S. Office (Academic Version)</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• 2016 or latest version</li> </ul>
5.	<p style="text-align: center;"><b>Anti Virus(Quick Heal/Norton)</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• Total Security</li> <li>• Validity period: Minimum 3 years</li> </ul>
6.	<p style="text-align: center;"><b>SERVER SPEC (HP/ Dell/ Lenovo)</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• 2U 2P Rack</li> <li>• 2 x Intel® Xeon® E5-2620v4 (2.1GHz/ 8-core/ 20MB/ 85W)</li> <li>• 24 DIMM Slots</li> <li>• 32 GB DDR4-2400 R Memory</li> <li>• Hard Disc: 2 TB X 3 HDD</li> <li>• 8 SFF(2.5inch) Hot Plug Drive</li> <li>• Open Bay Smart Array P440ar/2G Controller</li> <li>• SATA 9.5 JB Optical HDWR</li> <li>• Hot Plug / Hot Swap 2 x 500W Flex Slot Power Slot</li> <li>• Embedded 1Gb Ethernet 4-port 331i Adapter</li> <li>• iLO (Firmware HPE iLO4 2.0) 2GB NAND</li> <li>• 1TB SAS 15K RPM HARD DISK 3 UNIT with upgradable upto 8 HDs n Raid control.</li> <li>• Keyboard &amp; Mouse: Wired and USB Key board &amp; optical mouse</li> <li>• Monitor: 21" inch or larger) LED Digital Colour Monitor TCO-05 certified.</li> <li>• 3 Yrs. 24x7 4Hr Support</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> </ul>
7.	<p style="text-align: center;"><b>STORAGE SERVER SPEC (HP / Dell / Lenovo)</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• Processor One Intel® Xeon® E5-2609v3 Processor (1.9 GHz/6-core/15MB/85W)</li> <li>• Hard Disc: 8 TB X 6 HDD</li> <li>• Memory 32 GB (2 x 16 GB Single Rank x4 DDR4-2133 CAS-15-15-15 Registered Memory )</li> <li>• Storage Controller HPE Smart Array P440ar/ 2GB FBWC 12 Gb 2-ports Int SAS Controller 64TB SAS HDD WITH Internal Drive Support Twelve 3.5" (Large Form Factor) hot-plug drive bays in front, Two 2.5" (Small Form Factor) hot-plug drive bays in rear occupied by OS drives</li> <li>• Network Port(s) 1Gb Ethernet 4-port 331i Adapter Expansion Slots 3x PCIe Power</li> <li>• 2 x 800W Platinum Form Factor 2U rack</li> <li>• Operating Systems Microsoft® Windows Storage Server 2012 R2, Standard Edition</li> <li>• Licenses 3Yr 24x7 Technical Support and Updates Single Server License</li> <li>• Keyboard &amp; Mouse: Wired and USB Key board &amp; optical mouse</li> <li>• Monitor: 21" inch or larger) LED Digital Colour Monitor TCO-05 certified.</li> <li>• 3 Yrs. 24x7 4Hr Support</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> </ul>

8.	<p style="text-align: center;"><b>WIFI ACCESS POINT</b></p> <p><b>Minimum Specifications-</b> IEEE 802.11 Ac Technology</p> <ul style="list-style-type: none"> <li>• Also Support IEEE 802.11 A/B/G/N Standard Technology</li> <li>• Concurrent Dual Band Wireless With Speed upto 750 Mbps WPS</li> <li>• Web Browser Based Setup And Configuration</li> <li>• Installation by BIDDER IS REQUIRED as per requirement.</li> </ul>
9.	<p style="text-align: center;"><b>LAN SWITCH</b></p>
	<p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• 24 Port Gigabit Unmanaged LAN Switch</li> </ul>
10.	<p style="text-align: center;"><b>LAN SWITCH</b></p>
	<p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• 24 Port Gigabit Ethernet Managed LAN Switch</li> </ul>
11.	<p style="text-align: center;"><b>EXTERNAL HDD</b></p>
	<p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• 2 TB External Hard Disk without Any Power with 3 years Warranty.</li> </ul>
12.	<p style="text-align: center;"><b>Laserjet All in One Colour Printer: A4 &amp; Legal Size ( Print , Scan, Copy)</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• Print Speed: upto 16/16 ppm, A4(Black/Color)</li> <li>• 800 MHz Processor 256 MB DDR, 128 MB Flash</li> <li>• Duty Cycle:30000 pages</li> <li>• RMPV: 150 to 1500 pages</li> <li>• Print Resolution: Up to 600 x 600 dpi</li> <li>• Connectivity: Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100 Base-TX network port, 802.11n 2.4/5GHz wireless</li> <li>• Scan Type: Flatbed</li> <li>• Scan Speed: 14 ppm</li> <li>• Scan Size (Flatbed/ADF): Up to 216 x 297 mm / Up to 216 x 356 mm</li> <li>• Scan Resolution: Up to 300 x 300 dpi (ADF), Up to 1200 x 1200 dpi (Flatbed)/ Up to 300 x 300 dpi (Colour/mono, ADF),</li> <li>• File format: JPEG, RAW (BMP), PNG, TIFF, PDF</li> <li>• Grayscale level:256</li> <li>• Bit depth: 24-bits (color); 8-bits (mono)</li> <li>• Copy Speed: Black: Up to 16 ppm; Color: Up to 17 ppm</li> <li>• Max. number of copies: 99 copies</li> <li>• Copier reduce/enlarge:25 to 400%</li> <li>• Intuitive 2-line LCD control panel with 26 buttons,</li> <li>• 150 sheet input tray</li> <li>• 100 sheet output bin</li> <li>• Security: SNMPv1 community password change</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> </ul>
13.	<p style="text-align: center;"><b>Laserjet All in One Printer ( Print , Scan, Copy) with Duplex Facility</b></p>
	<p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• Print Speed - 28PPM simplex/18 ipm duplex</li> <li>• Print Resolution: Up to 1200 x 1200 dpi</li> <li>• Copy Speed: upto 28cpm simplex/18 cpm duplex</li> <li>• Scan Speed: upto 15 ppm</li> <li>• Scan Resolution - Up to 300 x 300 dpi (color and mono, ADF); Up to 600 x 600 dpi (color, flatbed); Up to 1200 x 1200 dpi (mono, flatbed)</li> <li>• Input Tray Capacity: Standard: 10 Sheet Priority Tray, 250 sheets Input Tray</li> <li>• Output Tray Capacity: 150 sheet tray</li> <li>• Paper Size Supported: 76 x 127 to 216 x 356 mm (Upto legal size)</li> <li>• Auto Document Feeder Capacity: 35 sheets</li> <li>• Scan Document Size Supported: Flatbed: Upto 215.9 x 297 mm; ADF scan size: Upto 215.9 x 355.6 mm</li> </ul>

	<ul style="list-style-type: none"> <li>• Memory:256MB</li> <li>• Processor:800 Mhz</li> <li>• Connectivity:1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX</li> <li>• Control Panel:2-line LCD: 2-line LCD text display</li> <li>• Toner: Separate Drum &amp; Toner</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> </ul>
14.	<p style="text-align: center;"><b>Laserjet Printer Single Function</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• Print Speed:Up to 22 ppm;</li> <li>• Resolution Black (best): Up to 1200 x 1200 dpi;</li> <li>• Print Language: PCLmS, URF, PWG</li> <li>• Media Size Custom:76 x 127 to 216 x 356 mm</li> <li>• Media Type:Paper (laser, plain, photo, rough, vellum), envelopes, labels, cardstock, postcards</li> <li>• 150 sheets Input Tray</li> <li>• 100 Sheets output bin</li> <li>• Duty Cycle:10000 Pages, Recommended monthly page volume 150 to 1,500 Pages</li> <li>• 128MB Memory</li> <li>• 600Mhz Processor</li> <li>• 1 Hi-Speed USB 2.0 connectivity</li> <li>• Separate Drum and Toner</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> </ul>
15.	<p style="text-align: center;"><b>20 KVA UPS</b></p> <p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• <b>INPUT:</b> Input phase voltage: 400 V +/- 20 % (operating Range: 320-480 V) Supply frequency: 46 to 54 Hz Input power factor: ≥0.96 Input current distortion/harmonics: ≤6% Rectifier Technology: IGBT</li> <li>• <b>BY-PASS LINE:</b> Three phase voltage:400 V +/- 15 % Over load capacity for Continuous: ≤110 % Over load capacity for 1 min.: ≥ 125%</li> <li>• <b>OUTPUT:</b> Inverter technology: IGBT with PWM Technology Voltage three phase: 400 V and should be selected to 380 or 415 V Voltage stability: +/- 1 % static, +/- 5% dynamic. Wave form: Pure Sinusoidal with THDV 2% on Linear &amp; 5% on Non-Linear Frequency: 50 Hz Frequency stability: +/- 0.1% Crest factor: 3:1 Accepted over load: ≤ 110% for 10 min: 110% ≤ 130% for 1 min Load power factor: 0.8 Rated power: 20 KVA Active power: 16 KW</li> <li>• <b>SYSTEM:</b> Total efficiency of the UPS: ≥ 90% Standard RS 232 interface facility: should be provided. Battery should be: 12V SMF VRLA type for 60 Mins Backup on Each UPS. (28800 VAH) Battery Ah calculation: should be enclosed along with the bid at ECV @ 1.75V <b>Isolation Transformer:</b> Isolation Transformer of 30 KVA, 3 Phase should be provided at input of each UPS for providing galvanic isolation between input &amp; output. Isolation Transformer should be external to the UPS and placed inside a suitable enclosure with powder coated paint and provided with cast iron wheels at bottom and hooks for lifting the unit. Servo Voltage Stabilizer: Servo Voltage Stabilizer of 30 KVA, 3 Phase, Input 210V-480V AC and Output 400V±1%, should be provided at input of each UPS for providing voltage stabilization.</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> </ul>


<b>16.</b>	<b>1 KVA TRUE ONLINE UPS</b>
	<p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• <b>Rating:</b> 1 KVA/800W IGBT based On-Line UPS with Inbuilt Isolation Transformer.</li> <li>• <b>Input AC Parameters:</b> Input Voltage: 160 - 280V Frequency: 50 Hz; Tolerance (45-55) Hz Input power factor: &gt; 0.98 Isolation Transformer (Inbuilt): UPS should be fully isolated by double conversion and inbuilt isolation transformer within the UPS cabinet itself. External transformer shall not be considered.</li> <li>• <b>Output AC Parameters:</b> Rated apparent/active power: 1000 VA / 800W Output Voltage: 220/230 V AC Frequency: 50 +/- 0.5 Hz Over load: 10% for 30 seconds, 125% for 10 seconds Output Power Factor: 0.8</li> <li>• <b>Display &amp; Level Indications:</b> LED mimic diagram + LCD Display with measurements (Input / Output / Bypass V &amp; Hz, Battery V &amp; capacity level indicator, Load % &amp; level Indicator)</li> <li>• <b>Audio Alarm operation:</b> Suitable Alarms for Battery Operation / Overload</li> <li>• <b>Communication Ports:</b> 1 x Intelligent-Slot (SNMP), 1 x RS232 Serial Port.</li> <li>• <b>Back-up Time &amp; Battery Bank Details:</b> (VAH Rating) 12V, VRLA sealed lead-acid Maintenance Free batteries for providing necessary back-up of 60 minutes.</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> </ul>
<b>17.</b>	<b>650 VA UPS</b>
	<p><b>Minimum Specifications-</b></p> <ul style="list-style-type: none"> <li>• Capacity: 600 VA / 480 Watts</li> <li>• Input Voltage Range: 140-280 V AC</li> <li>• Input Frequency: 50 Hz +/- 10%</li> <li>• Output Voltage: 220 V +/- 15%</li> <li>• Output Frequency: 50 Hz +/- 0.5% Hz (under battery mode)</li> <li>• Noise: &lt; 40 db at 1 m</li> <li>• Back-up Time: The system must be capable of providing requisite battery back-up time of 30 minutes on PC load, using Sealed Maintenance Free Batteries.</li> <li>• Required VAH : 168 VAH</li> <li>• Line Interactive UPS with AVR &amp; PWM Technology for computers suitable for Single Phase Input &amp; Single Phase Output.</li> <li>• Indicators: Mains presence, UPS mode, Battery low, Overload Battery,</li> <li>• Sealed Maintenance Free (VRLA) Built-in type of Exide/Quanta/CSB/Panasonic Make Batteries.</li> <li>• <b>On-site Warranty:</b> 3 years comprehensive onsite OEM warranty</li> </ul>

Sd/-

Registrar  
Gauhati University

**Copy to:**

1. Rector, GU.
2. Finance Officer, GU.
3. Secretary, University Classes, Gauhati University.
4. Secretary to the Vice Chancellor, for information of the Vice Chancellor.
5. Secretary to the Registrar, GU.
6. M/s Gulf Advertising Agency, for publishing the BRIEF VERSION of this notice in the Assam Tribune in the immediate next issue, and submit the bill in triplicate for payment.
7. Office File.



Registrar  
Gauhati University